

Package: SingscoreAMLMutations (via r-universe)

October 4, 2026

Title Using singscore to predict mutations in AML from transcriptomic signatures

Version 1.28.0

Description This workflow package shows how transcriptomic signatures can be used to infer phenotypes. The workflow begins by showing how the TCGA AML transcriptomic data can be downloaded and processed using the TCGAbiolinks packages. It then shows how samples can be scored using the singscore package and signatures from the MSigDB. Finally, the predictive capacity of scores in the context of predicting a specific mutation in AML is shown. The workflow exhibits the interplay of Bioconductor packages to achieve a gene-set level analysis.

License Artistic-2.0

Encoding UTF-8

LazyData true

Workflow True

biocViews GeneExpressionWorkflow, GenomicVariantsWorkflow, ImmunoOncologyWorkflow, Workflow

VignetteBuilder knitr

Depends R (>= 4.1.0)

Imports dcanr, edgeR, ggplot2, gridExtra, GSEABase, mclust, org.Hs.eg.db, plyr, reshape2, rtracklayer, singscore, SummarizedExperiment, TCGAbiolinks, BiocFileCache

Suggests knitr, rmarkdown, BiocStyle, BiocWorkflowTools, spelling

RoxygenNote 7.2.0

Language en-US

URL <https://github.com/DavisLaboratory/SingscoreAMLMutations>

BugReports <https://github.com/DavisLaboratory/SingscoreAMLMutations/issues>

Config/pak/sysreqs cmake libglpk-dev make libbz2-dev libicu-dev liblzma-dev libpng-dev libuv1-dev libxml2-dev libssl-dev libx11-dev xz-utils zlib1g-dev

Repository Bioconductor 3.23

Date/Publication 2026-04-28 12:43:31 UTC

RemoteUrl <https://github.com/bioc/SingscoreAMLMutations>

RemoteRef RELEASE_3_23

RemoteSha 40a99957f97ff365ad8f7f9de1d463ad2ee5ae3f

Contents

SingscoreAMLMutations-package	2
AMLPatientMutationsTCGA	3
Index	4

SingscoreAMLMutations-package

SingscoreAMLMutations: Using singscore to predict mutations in AML from transcriptomic signatures

Description

This workflow package shows how transcriptomic signatures can be used to infer phenotypes. The workflow begins by showing how the TCGA AML transcriptomic data can be downloaded and processed using the TCGAbiolinks packages. It then shows how samples can be scored using the singscore package and signatures from the MSigDB. Finally, the predictive capacity of scores in the context of predicting a specific mutation in AML is shown. The workflow exhibits the interplay of Bioconductor packages to achieve a gene-set level analysis.

Author(s)

Maintainer: Dharmesh D. Bhuvu <bhuva.d@wehi.edu.au> ([ORCID](#))

Authors:

- Momeneh Foroutan <foroutan.m@wehi.edu.au> ([ORCID](#))
- Yi Xie <xie.y@wehi.edu.au> ([ORCID](#))
- Ruqian Lyu <lyu.r@wehi.edu.au>
- Joseph Cursons <cursons.j@wehi.edu.au> ([ORCID](#))
- Melissa J. Davis <davis.m@wehi.edu.au> ([ORCID](#))

See Also

Useful links:

- <https://github.com/DavisLaboratory/SingscoreAMLMutations>
- Report bugs at <https://github.com/DavisLaboratory/SingscoreAMLMutations/issues>

`AMLPatientMutationsTCGA`*Mutation data for 4 genes for the TCGA AML patients*

Description

This is the processed version of the mutation data available from the TCGA AML patients. The data set

Usage

```
AMLPatientMutationsTCGA
```

Format

A data.frame with 151 samples (rows) and mutation annotations for 4 genes:

NPM1c.Mut Mutations in the *NPM1* gene that result in a frame shift, also known as the NPM1c mutation (TRUE if mutated)

KMT2A.Fusion Fusion products of the *KMT2A* gene, also commonly known as *MLL* (TRUE if a fusion product exists)

KMT2A.PTD Partial tandem duplication of the *KMT2A* gene (TRUE if PTD observed)

PML.RARA Fusion of the *PML* and *RARA* gene (TRUE for fusions)

Source

(https://tcga-data.nci.nih.gov/docs/publications/aml_2012/SupplementalTable01.xlsx)

References

Cancer Genome Atlas Research Network, 2013. Genomic and epigenomic landscapes of adult de novo acute myeloid leukemia. New England Journal of Medicine, 368(22), pp.2059-2074.

Examples

```
data(AMLPatientMutationsTCGA)
```

Index

* **datasets**

 AMLPatientMutationsTCGA, [3](#)

AMLPatientMutationsTCGA, [3](#)

SingscoreAMLMutations
 (SingscoreAMLMutations-package),
 [2](#)

SingscoreAMLMutations-package, [2](#)