

Package: beadarrayExampleData (via r-universe)

October 10, 2026

Title Example data for the beadarray package
Version 1.50.0
Date 2013-11-04
Author Mark Dunning
Maintainer Mark Dunning <Mark.Dunning@cancer.org.uk>
Description An small dataset that can be used to run examples from the beadarray vignette and examples
Depends R (>= 2.13.0), Biobase (>= 2.5.5), methods, beadarray (>= 2.0.0)
License GPL-2
biocViews ExperimentData, Homo_sapiens_Data, MicroarrayData
Namespace auto
Config/pak/sysreqs libicu-dev libpng-dev libssl-dev zlib1g-dev
Repository Bioconductor 3.23
Date/Publication 2026-04-28 12:24:21 UTC
RemoteUrl <https://github.com/bioc/beadarrayExampleData>
RemoteRef RELEASE_3_23
RemoteSha b0a958b1842d522b9d67564926fa99441284756f

Contents

exampleBLData	2
exampleSummaryData	2
Index	3

`exampleBLData`*beadLevelData object from an example experiment*

Description

The data in this package are a subset of the MAQC bead-level data available in the beadarrayUseCases package. Bead-level refers to the availability of intensity and location information for each bead on each BeadArray in an experiment. In this dataset, BeadArrays were hybridized with either Universal Human Reference RNA (UHRR, Stratagene) or Brain Reference RNA (Ambion) as used in the MAQC project. This object is a representation of the bead-level data for 2 arrays and was created by the beadarray package.

Usage

```
data(exampleBLdata)
```

See Also

[beadLevelData](#)

`exampleSummaryData`*ExpressionSetIllumina object for the example experiment*

Description

`exampleSummaryData` is an object of class `ExpressionSetIllumina` which is a summarized version of the bead-level data distributed with the `BeadArrayUseCases` package. There are 12 MAQC samples in the object which are either Brain or UHRR. Unlogged and log2 versions of the data are provided. See the vignette for `beadarrayExampleData` for details of how these data were created.

Usage

```
data(exampleSummaryData)
```

Index

* **datasets**

exampleBLData, [2](#)

exampleSummaryData, [2](#)

beadLevelData, [2](#)

exampleBLData, [2](#)

exampleSummaryData, [2](#)