

# Package: cytolib (via r-universe)

May 29, 2026

**Type** Package

**Title** C++ infrastructure for representing and interacting with the gated cytometry data

**Version** 2.24.0

**Date** 2017-08-07

**Author** Mike Jiang

**Maintainer** Mike Jiang <mike@ozette.com>

**Description** This package provides the core data structure and API to represent and interact with the gated cytometry data.

**License** AGPL-3.0-only

**License\_restricts\_use** no

**LazyLoad** yes

**Imports** RProtoBufLib

**Depends** R (>= 3.4)

**Suggests** knitr, rmarkdown

**LinkingTo** BH(>= 1.84.0.0), RProtoBufLib(>= 2.13.1), Rhdf5lib

**biocViews** ImmunoOncology, FlowCytometry, DataImport, Preprocessing, DataRepresentation

**VignetteBuilder** knitr

**SystemRequirements** GNU make, C++11

**RoxygenNote** 7.1.2

**Biarch** TRUE

**Config/pak/sysreqs** make

**Repository** <https://bioc-release.r-universe.dev>

**Date/Publication** 2026-04-28 12:46:13 UTC

**RemoteUrl** <https://github.com/bioc/cytolib>

**RemoteRef** RELEASE\_3\_23

**RemoteSha** 98e545f898d36aac6a900101b2a37ea768e6402f

## Contents

cytolib\_LdFlags . . . . . 2

**Index** . . . . . **3**

---

cytolib_LdFlags	<i>Output the LD flags for building against cytolib. These flags are propagated to sourceCxx via the inlineCxxPlugin (defined below) and to packages via a line in Makevars[.win] like this:</i>
-----------------	--

---

### Description

```
PKG_LIBS += $(shell "$R_HOME/bin/$R_ARCH_BIN/Rscript.exe" -e "cytolib::cytolib_LdFlags()")
```

### Usage

```
cytolib_LdFlags()
```

# Index

cytolib\_LdFlags, [2](#)