

# Package: preciseTADhub (via r-universe)

October 10, 2026

**Type** Package

**Title** Pre-trained random forest models obtained using preciseTAD

**Version** 1.20.0

**Description** An experimentdata package to supplement the preciseTAD package containing pre-trained models and the variable importances of each genomic annotation used to build the model parsed into list objects and available in ExperimentHub. In total, preciseTADhub provides access to n=84 random forest classification models optimized to predict TAD/chromatin loop boundary regions and stored as .RDS files. The value, n, comes from the fact that we considered l=2 cell lines {GM12878, K562}, g=2 ground truth boundaries {Arrowhead, Peakachu}, and c=21 autosomal chromosomes {CHR1, CHR2, ..., CHR22} (omitting CHR9). Furthermore, each object is itself a two-item list containing: (1) the model object, and (2) the variable importances for CTCF, RAD21, SMC3, and ZNF143 used to predict boundary regions. Each model is trained via a ``holdout" strategy, in which data from chromosomes {CHR1, CHR2, ..., CHRi-1, CHRi+1, ..., CHR22} were used to build the model and the ith chromosome was reserved for testing. See <https://doi.org/10.1101/2020.09.03.282186> for more detail on the model building strategy.

**License** MIT + file LICENSE

**Depends** R (>= 4.1)

**Encoding** UTF-8

**LazyData** true

**Suggests** knitr, rmarkdown, markdown, BiocStyle, preciseTAD

**Imports** ExperimentHub

**VignetteBuilder** knitr

**biocViews** ExperimentData, PackageTypeData, ExperimentHub, Genome

**NeedsCompilation** no

**RoxygenNote** 7.1.1

**BugReports** <https://github.com/dozmorovlab/preciseTADhub/issues>

**URL** <https://github.com/dozmorovlab/preciseTADhub>

**Config/pak/sysreqs** libicu-dev libpng-dev libssl-dev zlib1g-dev

**Repository** Bioconductor 3.23

**Date/Publication** 2026-04-28 12:34:36 UTC

**RemoteUrl** <https://github.com/bioc/preciseTADhub>

**RemoteRef** RELEASE\_3\_23

**RemoteSha** 591f5abbeed02cb98b8a0978c27d66b35d58ff26

## Contents

|                                 |          |
|---------------------------------|----------|
| preciseTADhub-package . . . . . | 2        |
| readEH . . . . .                | 3        |
| <b>Index</b>                    | <b>4</b> |

---

preciseTADhub-package *Pre-trained models obtained using preciseTAD as list objects.*

---

## Description

preciseTADhub is package that give users access to pre-trained random forest models that can be leveraged to predict TAD and/or chromatin loop boundaries using the preciseTAD R package. These data have been parsed into list objects and RDS files and are available in ExperimentHub.

## Details

See the vignette for examples of using these data in predicting precise boundary location at base-level resolution.

browseVignettes("preciseTADhub")

Details of how these data were created are in the scripts/ directory of the source package.

## Examples

```
## Not run:
library(ExperimentHub)
eh <- ExperimentHub()
myfiles <- query(eh, "preciseTADhub")
CHR1_GM12878_5kb_Arrowhead <- myfiles[[1]]

## End(Not run)
```



# Index

## \* **utilities**

preciseTADhub-package, [2](#)

preciseTADhub (preciseTADhub-package), [2](#)

preciseTADhub-package, [2](#)

readEH, [3](#)